Work Orde		445 D321	3-1	*964	45*							Page 1	l
Item ID: Revision ID: Item Name:	D3213-1 Door Panel	B 9 G A R E V B	45	Accept	*N900)*	Setup	Start Stop	1.71	S1* S2*			
Start Date: Required Date:	1/25/13 2/15/13	Start Qty: 6.00 Req'd Qty: 6.00	*6* *6*		Cust Item Customer:								
Reference: Approvals:		n: <i>ML5</i>	Date: /3-01-29	Tooling: SPC (Y/N):	Date:				Run	Start Stop	17	R1*	
Sequence ID/ Work Center I	D	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accep Qty	t Re Qt	-	Reject Number	Insp. Stamp	**
Draw Nbr	Rev	ision Nbr											
D3213 100 *100* Waterjet FLOW CNC Water	B	FLOW WATER JET Memo 1-Cut as per Deburr if ne		0.00 0.00 B Prog Rev: F	3 2-			160	3_	0_		Ac 13.00	6.3
*110 *110* QC Quality Control		QC2- Inspect parts off m	nachine FAI/FAIB	0.00				<u></u>	ෂ)	O	A	13.00	%·30
120 *120* QC Quality Control		QC8- Inspect parts - seco	ond check	0.00				8	B-6	DJ- O (9	(DAS	

								DQA:	Date: _	-
NCR: Yes	s / No	•		WORK ORDER N	ON-CONFO		QA Closed:	Date:		
Work Order:	:			DISPOSITION			AGAINST DE	PARTMENT/	PROCESS	
Part No NCR No				Sc Use-a	Rework Scrap Use-as-is Work Order Update Skid-tube Crosstube Machining Thermoforming Finishing Large Fab Composite				Water Jet d. Eng. Coor. e/Packaging Supplier	Engineering Quality Other
Root		<u> </u>		Description of work order up			ction	Sign &		
Cause	Date	Step	Qty	or Non-conformance	Chief	Eng Desc	ription	Date	Verification	QC Inspector
oc/Data quip/Tooling Operator Material etup Other										

Landing Gear General Pressure/Forced Ovalized Bend Grain Bending Temperature/Cure Over/Under tolerance BOM/Route Centre Not Concentric to O/S Hardware Weld Broken/Damaged Inspection Incomplete Part Incorrect Cracks Part Lost/Missing Wrong Stock Pulled Crushed/Crimped. Instructions Incomplete/Unclear Burrs Part Moved Cuffs Maintenance Contamination Countersink Mislabeled Positioned Wrong Heat Treat Other Power Loss/Surge Inspection Strip in Tube Cut Too Short Misread Drill Holes Offset Ripples in Bend Out of Calibration Drawing Torque Waves in Extrusion Out of Sequence Finish Turning Sequence Folio Outside Dimensions Wave/Twist in Tube

FAULT CATEGORY

Process
Supplier
Training
Unapproved

Work Ord January-28-13				*96445*								
Item ID: Revision ID: Item Name:	D3213-1 Door Panel			Accept	*N900	04010	()* Se	tup Start Stop	111.71			
Start Date: Required Date Reference:	1/25/13 : 2/15/13	Start Qty: 6.00 Req'd Qty: 6.00	*6* *6*		Cust Item I Customer:	D:			14(1)			
Approvals:		lan:				ate:	Ru	ın Start Stop	"INK I"			
Sequence ID/ Work Center I 130 *120* Small Fab Small Fab	D	Operation Description Small Fab Memo Debutt		Set Up/ Run Hours 0.00	Tool ID	Tool # Plan Code	Accept Qty		Reject Insp. Number Stamp			
140 *140 HandFinish HandFinishing		Chemical Conversion Co	oat per QSI005 4.1	0.00			8	NG	1374			
*150 *150*		293-Inspect Part Finish	1	0.00 PAS	3/0/05		(48)					

Quality Control

		DQA:	Date:	
NCR: Yes / No	WORK ORDER NON-CONFORMANCE / UPDATE			

											QA Closed:	Da	te:	
Work Orde	er:					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS		
Part N	No.					Rework Scrap Use-as-is		Skid-tube Crosstube Machining Small Fab Thermoforming Finishing			Water Jet Prod. Eng. Coor. Rec/Store/Packaging			Engineering Quality Other
NCR I	No.					Work Order Update	<u> </u>		Large Fab	Composite	Supplier			
Root					Descr	iption of work order update	Ī	nitial	Ac	tion	Sign &			
Cause		Date	Step	Qty		or Non-conformance	Ch	ief Eng	Desc	ription	Date	Verificatio	n	QC Inspector
Doc/Data											ļ		ŀ	
Equip/Tooling														
Operator	_													
Material														
Setup					1									
Other														
Process				,		•								
Supplier	_													
Training	_													
Unapproved		<u> </u>	<u> </u>	<u> </u>			<u> </u>							
							AUL	T CATE	GORY					
Landi		7				General		1			7			
	<u> </u>	Bending			_	Bend	-	Grain		<u> </u>	Ovalized		\vdash	Pressure/Forced
	<u> </u>	Centre No	ot Conce	ntric to	o/s	BOM/Route	<u> </u>	Hardwa			Over/Under		\vdash	Temperature/Cure
	L	Cracks			<u> </u>	Broken/Damaged	_		ion Incomplete	, -	Part Incorre		\vdash	Weld
	L	Crushed/	Crimped			Burrs	—	4	ions Incomplete/	'Unclear	Part Lost/M	-	Ш	Wrong Stock Pulled
İ	Cuffs					Contamination		Mainte			Part Moved			
				Countersink	-	Mislabe		-	Positioned \					
				Cut Too Short	-	Misrea	d	L	Power Loss/	Surge	Ш	Other		
				Drill Holes	\vdash	Offset								
				Drawing	-	4	Calibration							
				Finish	_	4	Sequence							
Wave/Twist in Tube				Folio	1	Outside	Dimensions							

Work Ord January-28-13		*		*964				Page 3			
Item ID: Revision ID: Item Name:	D3213-1 Door Pane	sl		Accept	*N900	040	100)* s	Setup Star	10	S1* S2*
Start Date: Required Dat Reference:	1/25/13 e: 2/15/13	Start Qty: 6.00 Req'd Qty: 6.00	*6* *6*		Cust Item I Customer:	D:					
Approvals:		Plan:			Date:			F	Run Stai Sto	1/1	R1* R2*
Sequence ID/ Work Center 160	ID	Operation Description Identify as per dwg & Si	tock Location: ST13 .	Set Up/ Run Hours 0.00	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 Packaging Packaging		Memo		0.00				8			13-07-
Packaging										. 1	•

0.00

0.00

QC21- Final Inspection - Work Order Release

Memo

170

170

Quality Control

13/7/8 D MF 13-7-8

NCR: Y	NCR: Yes / No WORK ORDER NON-CONFORMANCE / UPDATE											
	•							-		QA Closed:	Date	2:
Work Orde	r:				DISPOSITION	_			AGAINST DE	PARTMENT		
Part N	o				Rework Scrap		Skid-tube Crosstube Machining Small Fab Thermoforming Finishing			4	Water Jet d. Eng. Coor.	Engineering Quality
NCR N	0				Use-as-is Work Order Update] The		arge Fab	Finishing Composite	Rec/Stor	e/Packaging Supplier	Other
Root				Descri	iption of work order update	Initia	1	Ac	ction	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chief E	ng	Desc	ription	Date	Verification	QC Inspector
Doc/Data							ļ				i	
quip/Tooling							- 1				:	
Operator												
Material	_	İ					Ì					
Setup		1										
Other		1					ı				•	
Process												
Supplier												
Training												
Unapproved												
					<u> </u>	AULT CA	TEG	ORY				
Landin	g Gear				General					7	_	-
	Bending				Bend	Grai	in			Ovalized		Pressure/Forced
	Centre N	ot Conce	ntric to (o/s	_BOM/Route	Hard	dwar	e		Over/Under	tolerance	Temperature/Cure
	Cracks				Broken/Damaged	Insp	ectio	on Incomplete	ļ	Part Incorre	ct	Weld
[Crushed/	Crimped.			Burrs	Instr	ructio	ons Incomplete,	/Unclear	Part Lost/M	issing	Wrong Stock Pulled
	Cuffs				Contamination	Mai	inter	nance		Part Moved		
	Heat Trea	at			Countersink	Misl	label	ed		Positioned \	Wrong _	
Ī	Inspectio	n Strip in	Tube		Cut Too Short	Misr	read			Power Loss/	'Surge	Other
Ī	Ripples ir	n Bend			Drill Holes	Offs	et					
	Torque V	Vaves in I	Extrusion	n [Drawing	Out	of C	alibration				
Ī	Turning S				Finish	Out	of Se	equence				
[Wave/Tw	vist in Tul	be	Г	Folio	Outs	side	Dimensions				

DQA: Date:

Picklist Print

January-28-13 11:55:37 AM

Page 1

Work Order ID:

96445

Parent Item:

D3213-1

Parent Item Name:

Door Panel

Start Date: 1/25/13

Required Date: 2/15/13

Start Qty: 6.00

Required Qty: 6.00

Comments:

IPP Rev:A 05-11-17 New Issue

e JLM

IPP Rev:B 07-02-13 Now on Waterjet JLM

iterjet JLM

IPP Rev C:	08.11.26	Comment added to step 2	KJ	Verified by: EC
------------	----------	-------------------------	----	-----------------

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status	- - -
M2024T3S.063 2024-T3 .063 sheet		Purchased	No			100	sf	203.8400	0.4714	2.9 7.72 63 3.0			JMB-	20-EQ
				Location		Loc Oty	<u>Lo</u>	c Code						
				MAT022		203.84								
				1199	916	0.2								
				1211	97	21.34								
				1230	196	11.4								
				1236	554	12.8								1.5
				1237	701	158.1			123	JOF			٠	

NCR:	Yes /	No	WORK ORDER NON-CONFORMANCE / UPDATE

DQA:	Date:	

						·				QA Closed:	Dat	e:	
Work Orde	or.					DISPOSITION			AGAINST DE	PARTMENT	/PROCESS		
Part N	io.					Rework Scrap Use-as-is Work Order Update	Acrap Machining Small Fab Prod. Eng. Coor. Quas-is Thermoforming Finishing Rec/Store/Packaging Odate Composite Supplier						
Root					Descri	ption of work order update	Initial	A	ction	Sign &			
Cause	l	Date	Step	Qty		or Non-conformance	Chief E	ng Des	cription	Date	Verification	n QC Inspector	
Doc/Data													
Equip/Tooling]					Ì	
Operator							İ			1			
Material													
Setup													
Other								<i>'</i>					
Process													
Supplier													
Training													
Unapproved					<u> </u>					<u> </u>			
							AULT CA	TEGORY					
Landi	<u> </u>	5			_	General ¬₋.	— .			۱			
		Bending				Bend	Grai		-	Ovalized		Pressure/Forced	
		Centre No	ot Conce	ntric to	o/s	BOM/Route	-	ware	<u> </u>	Over/Under		Temperature/Cure Weld	
	Ш	Cracks			-	Broken/Damaged	<u> </u>	ection Incomplete	/// // // // // // // // // // // // //	Part Incorre		Wrong Stock Pulled	
	\vdash	Crushed/	Crimped			Burrs	—	uctions Incomplete	e/Unclear	Part Lost/M	-	vvrong Stock Pulled	
	\vdash	Cuffs				Contamination	-	ntenance	-	Part Moved			
	\vdash	Heat Trea		T !	<u> </u>	Countersink	├ ─┤	abeled	-	Positioned \ Power Loss,	_	Other	
		Inspectio	•	Tube	-	Cut Too Short	Misr			Trower ross,	suige	Lottier	
		Ripples in		F	_ -	Drill Holes	Offs						
	-	Torque W			n	Drawing	\vdash	of Calibration					
	_	Turning S			-	Finish	\vdash	of Sequence					
	l	Wave/Tw	ist in Tul	be	1	Folio	Outs	ide Dimensions					


DART AEROSPACE LTD	Work Order:	96445
Description: Door Panel	Part Number:	D3213-1
Inspection Dwg: D3213 Rev: B		Page 1 of 1


FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
15.00	+/-0.030	15.00	-		Т	0Km-06
4.47	+/-0.030	4.47	-		V	UKM-01
14.400	+/-0.005	14.400	_		,	O.C.I. O.
0.300	+/-0.010	.300	_		V	
Ø0.128	+0.005/-0.001	.129	_		v	
Pitch 2.057	+/-0.005				<u> </u>	
			-			

Measured by:	Ae	Audited by:	DAO	Preliminary Approval:	
Date:	13.06.30	Date:	13-07.0209	Date:	

Rev	Date	Change	Revised by	Anneoused
Α	03.12.15	New Issue P/O D350-567-015/-025/-031	KJ/RF	Approved
В	08.11.27	Diameter symbol added to dimension 0.128		
С	12.05.14	Dwg Rev updated	KJ/EC	91
		1 G - to + apoatod	KJ OK	C/11/






96445

D

С



D3213-1 NOTES:

D

1) MATERIAL: 2024-T3 ALUMINUM SHEET, 0.063 THICK, PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209 REF. DART SPEC M2024T3S.063

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: NONE

7) WEIGHT: 0.42 lbs

DESIGN DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWN CHECKED DRAWING NO. REV. B D3213 MFG. APPR. SHEET 3 OF 4 APPROVED TITLE SCALE DOOR ASSEMBLY DE APPR. THIS SOCIALIST IS STRINKED AND A SEPTIMED ON THE COMPANIES CHANTED THE SECRET AND A SEPTIMED ON THE COMPANIES CHANTED TO BE USED FOR ANY PARFOLE OF COMPANIES CONDUCTION OF COMPANIES CHANTED TO ANY COMPANIES CHANTED TO ANY COMPANIES CHANTED COMPAN DATE 11.06.06

